

コカ・コーラシステム共通(日本コカ・コーラ株式会社)

[2018年度 グリーン購入法適合機種一覧]

缶・ボトル機

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
1	F8AR(S/W)U2436NB1P3F	845kWh	110%	R744	1	330g
2	F8AR(S/W)U24W4NB1P3F	1030kWh	122%	R744	1	345g
3	F8AR(S/W)U25W5AB1P3F	660kWh	145%	R744	1	270g
4	F8AR(S/W)U3036AB1P3F	585kWh	184%	R744	1	270g
5	F8ARG3036AK1P3F	655kWh	165%	R744	1	270g
6	F8AR(S/W)U30W6AB1P3F	770kWh	135%	R744	1	270g
7	F8AR(S/W)U36W6AB1P3F	750kWh	147%	R744	1	270g
8	F8AR(S/W)U42F7AB1P3F	780kWh	168%	R744	1	270g
9	F8AR(S/W)U30C6EB1P3F	440kWh	242%	R744	1	540g
10	F8AR(S)U25W5BB1P3F	955kWh	100%	R744	1	345g
11	F8AR(S)U3036BB1P3F	970kWh	111%	R744	1	345g
12	F8AR(S)U30W6BB1P3F	995kWh	105%	R744	1	345g
13	F8AR(S)U36W6BB1P3F	1060kWh	104%	R744	1	345g
14	F8AR(S)U30L6AB1P3F	840kWh	139%	R744	1	270g
15	N8ARU18W3NB1P3	910kWh	121%	R744	1	220g
16	N8ARU20W5NB1P3	700kWh	112%	R744	1	200g
17	N8ARU24W6NB1P3	725kWh	120%	R744	1	270g
18	N8ARU25W5AB1P3	665kWh	150%	R744	1	280g
19	N8ARU3036AB1P3	590kWh	195%	R744	1	280g
20	N8ARU30D6AB1P3	790kWh	156%	R744	1	280g
21	N8ARU36W6AB1P3	755kWh	154%	R744	1	280g
22	N8ARU42F7AB1P3	860kWh	156%	R744	1	290g
23	N8ASU18W3NB1P3	910kWh	121%	R744	1	220g
24	N8ASU20W5NB1P3	700kWh	112%	R744	1	200g
25	N8ASU24W6NB1P3	725kWh	120%	R744	1	270g
26	N8ASU25W5AB1P3	665kWh	150%	R744	1	280g
27	N8ASU3036AB1P3	590kWh	195%	R744	1	280g
28	N8ASU30D6AB1P3	790kWh	156%	R744	1	280g
29	N8ASU36W6AB1P3	755kWh	154%	R744	1	280g
30	N8ASU42F7AB1P3	860kWh	156%	R744	1	290g
31	N8ARU3036BB1P3	970kWh	118%	R744	1	230g
32	N8ARU3036BM1P3	970kWh	118%	R744	1	230g
33	N8ASU3036BB1P3	970kWh	118%	R744	1	230g
34	N8ASU3036BM1P3	970kWh	118%	R744	1	230g
35	D8CRU1226NB1P2	760kWh	107%	R744	1	190g
36	D8ARU15W3NB1P3	865kWh	121%	R744	1	160g
37	D8ASU15W3NB1P3	865kWh	121%	R744	1	160g
38	D8ARU1816NB1P3	740kWh	103%	R744	1	170g
39	D8ASU1816NB1P3	740kWh	103%	R744	1	170g
40	D8ARU20W4NB1P3	820kWh	146%	R744	1	160g
41	D8ASU20W4NB1P3	820kWh	146%	R744	1	160g
42	D8ARU30W5AB1P3	740kWh	135%	R744	1	200g
43	D8ASU30W5AB1P3	740kWh	135%	R744	1	200g
44	D8ARU30W6AB1P3	750kWh	140%	R744	1	200g
45	D8ASU30W6AB1P3	750kWh	140%	R744	1	200g
46	D8ARU3036AB1P3	615kWh	176%	R744	1	200g
47	D8ASU3036AB1P3	615kWh	176%	R744	1	200g
48	F7AR(S/W)U2436NB1P3	845kWh	110%	R744	1	330g
49	F7AR(S/W)U24W4NB1P3	1030kWh	122%	R744	1	345g
50	F7AR(S/W)U25W5AB1P3	660kWh	145%	R744	1	270g
51	F7AR(S/W)U3036AB1P3	585kWh	184%	R744	1	270g
52	F7ARG3036AK1P3F	655kWh	165%	R744	1	270g
53	F7AR(S/W)U30W6AB1P3	770kWh	135%	R744	1	270g
54	F7AR(S/W)U36W6AB1P3	750kWh	147%	R744	1	270g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
55	F7AR(S/W)U42F7AB1P3	780kWh	168%	R744	1	270g
56	F7AR(S/W)U30C6EB1P3	440kWh	242%	R744	1	540g
57	F7AR(S)U25W5BB1P3	955kWh	100%	R744	1	345g
58	F7AR(S)U3036BB1P3	970kWh	111%	R744	1	345g
59	F7AR(S)U30W6BB1P3	995kWh	105%	R744	1	345g
60	F7AR(S)U36W6BB1P3	1060kWh	104%	R744	1	345g
61	D7ARU3036AB1P3	615kWh	176%	R744	1	200g
62	D7ARU30W6AB1P3	750kWh	140%	R744	1	200g
63	D7ASU3036AB1P3	615kWh	176%	R744	1	200g
64	D7ASU30W6AB1P3	750kWh	140%	R744	1	200g
65	D7ARU30W5AB1P3	740kWh	135%	R744	1	200g
66	D7ASU30W5AB1P3	740kWh	135%	R744	1	200g
67	D7ARU3636AB1P3	725kWh	158%	R744	1	200g
68	D7ASU3636AB1P3	725kWh	158%	R744	1	200g
69	D7ARU15W3NB1P3	865kWh	121%	R744	1	160g
70	D7ASU15W3NB1P3	865kWh	121%	R744	1	160g
71	D7ARU20W4NB1P3	820kWh	146%	R744	1	160g
72	D7ASU20W4NB1P3	820kWh	146%	R744	1	160g
73	N7ARU18W3NB1P3	910kWh	121%	R744	1	220g
74	N7ARU20W5NB1P3	700kWh	112%	R744	1	200g
75	N7ARU25W5AB1P3	665kWh	150%	R744	1	280g
76	N7ARU3036AB1P3	590kWh	195%	R744	1	280g
77	N7ARU36W6AB1P3	755kWh	154%	R744	1	280g
78	N7ARU42F7AB1P3	860kWh	156%	R744	1	290g
79	N7ARA3036AG1P3	625kWh	208%	R744	1	280g
80	N7ASU18W3NB1P3	910kWh	121%	R744	1	220g
81	N7ASU20W5NB1P3	700kWh	112%	R744	1	200g
82	N7ASU25W5AB1P3	665kWh	150%	R744	1	280g
83	N7ASU3036AB1P3	590kWh	195%	R744	1	280g
84	N7ASU36W6AB1P3	755kWh	154%	R744	1	280g
85	N7RRU30W62MAP3	990kWh	111%	R744	1	230g
86	N7RRU30062MAP3	990kWh	111%	R744	1	230g
87	N7RRU30061MGP3	990kWh	111%	R744	1	230g
88	N7RRU30161MGP3	980kWh	117%	R744	1	230g
89	N7RRU25051MAP3	880kWh	110%	R744	1	280g
90	N7RSU30W62MAP3	990kWh	111%	R744	1	230g
91	N7RSU30062MAP3	990kWh	111%	R744	1	230g
92	N7RSU30061MGP3	990kWh	111%	R744	1	230g
93	N7RSU30161MGP3	980kWh	117%	R744	1	230g
94	N7RRU30W62MAP3R	1180kWh	105%	R744	1	280g
95	N7RSU30W62MAP3R	1180kWh	105%	R744	1	280g
96	K7CRU1226NB1N1	345kWh	143%	R744	1	200g
97	K7ARU1816NB1P3	720kWh	105%	R744	1	260g
98	K7ASU1816NB1P3	720kWh	105%	R744	1	260g
99	K7ARU24W6AB1P3	720kWh	115%	R744	1	260g
100	K7ARU24W6AB1P3H	720kWh	115%	R744	1	260g
101	K7ASU24W6AB1P3	720kWh	115%	R744	1	260g
102	K7ASU24W6AB1P3H	720kWh	115%	R744	1	260g
103	K7ARU36W6AB1P3	730kWh	151%	R744	1	290g
104	K7ARU36W6AX1P3H	730kWh	151%	R744	1	290g
105	K7ASU36W6AB1P3	730kWh	151%	R744	1	290g
106	K7ASU36W6AB1P3H	730kWh	151%	R744	1	290g
107	K7ARU42F7AB1P3	780kWh	165%	R744	1	290g
108	K7ARU42F7AB1P3H	780kWh	165%	R744	1	290g
109	K7ASU42F7AB1P3	780kWh	165%	R744	1	290g
110	K7ASU42F7AB1P3H	780kWh	165%	R744	1	290g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
111	K7ARU3036BB1P3	850kWh	127%	R744	1	260g
112	K7ARU3036BM1P3	850kWh	127%	R744	1	260g
113	K7ASU3036BB1P3	850kWh	127%	R744	1	260g
114	K7ASU3036BM1P3	850kWh	127%	R744	1	260g
115	K7CZU20F5TB1P2-B	795kWh	100%	R744	1	250g
116	F6AR(S/W)U2436NB1P3	845kWh	110%	R744	1	330g
117	F6AR(S/W)U24W4NB1P3	1030kWh	122%	R744	1	345g
118	F6AR(S/W)U25W5AB1P3	660kWh	145%	R744	1	270g
119	F6AR(S/W)U3036AB1P3	585kWh	184%	R744	1	270g
120	F6AR(S/W)U30W6AB1P3	770kWh	135%	R744	1	270g
121	F6AR(S/W)U36W6AB1P3	750kWh	147%	R744	1	270g
122	F6AR(S/W)U42F7AB1P3	780kWh	168%	R744	1	270g
123	F6AR(S/W)U30C6EB1P3	440kWh	242%	R744	1	540g
124	F6AR(S)U25W5BB1P3	955kWh	100%	R744	1	345g
125	F6AR(S)U3036BB1P3	970kWh	111%	R744	1	345g
126	F6AR(S)U30W6BB1P3	995kWh	105%	R744	1	345g
127	F6AR(S)U36W6BB1P3	1060kWh	104%	R744	1	345g
128	D6ARU15W3NB1P3	865kWh	121%	R744	1	160g
129	D6ARU1816NB1P3	740kWh	103%	R744	1	170g
130	D6ARU18W3NB1P3	885kWh	124%	R744	1	160g
131	D6ARU20W4NB1P3	820kWh	146%	R744	1	160g
132	D6ARU24W6NB1P3	820kWh	103%	R744	1	150g
133	D6ARU3036AB1P3	615kWh	176%	R744	1	200g
134	D6ARU30W5AB1P3	740kWh	135%	R744	1	200g
135	D6ARU30W6AB1P3	750kWh	140%	R744	1	200g
136	D6ARU36W6AB1P3	765kWh	145%	R744	1	200g
137	D6ASU15W3NB1P3	865kWh	121%	R744	1	160g
138	D6ASU1816NB1P3	740kWh	103%	R744	1	170g
139	D6ASU18W3NB1P3	885kWh	124%	R744	1	160g
140	D6ASU20W4NB1P3	820kWh	146%	R744	1	160g
141	D6ASU24W6NB1P3	820kWh	103%	R744	1	150g
142	D6ASU3036AB1P3	615kWh	176%	R744	1	200g
143	D6ASU30W5AB1P3	740kWh	135%	R744	1	200g
144	D6ASU30W6AB1P3	750kWh	140%	R744	1	200g
145	D6ASU36W6AB1P3	765kWh	145%	R744	1	200g
146	D6AWU3036AB1P3	615kWh	176%	R744	1	200g
147	D6AWU30W6AB1P3	750kWh	140%	R744	1	200g
148	D6AZU3036AB1P3	615kWh	176%	R744	1	200g
149	D6ARU3636AB1P3	725kWh	158%	R744	1	200g
150	D6ASU3636AB1P3	725kWh	158%	R744	1	200g
151	D6AWU3636AB1P3	725kWh	158%	R744	1	200g
152	D6ANU15W3NB1P3	865kWh	121%	R744	1	160g
153	D6ANU18W3NB1P3	885kWh	124%	R744	1	160g
154	D6ANU20W4NB1P3	820kWh	146%	R744	1	160g
155	N6ARU20W5NB1P3	700kWh	112%	R744	1	200g
156	N6ARU24W6NB1P3	725kWh	120%	R744	1	200g
157	N6ARU25W5AB1P3	665kWh	150%	R744	1	280g
158	N6ARU30W6AB1P3	775kWh	142%	R744	1	280g
159	N6ARU3036AB1P3	590kWh	194%	R744	1	280g
160	N6ARU36W6AB1P3	755kWh	154%	R744	1	280g
161	N6ARU42F7AB1P3	860kWh	156%	R744	1	290g
162	N6ARA3036AG1P3	625kWh	207%	R744	1	280g
163	N6ANU20W5NB1P3	700kWh	112%	R744	1	200g
164	N6ASU20W5NB1P3	700kWh	112%	R744	1	200g
165	N6AWU25W5AB1P3	665kWh	150%	R744	1	280g
166	N6AWU3036AB1P3	590kWh	194%	R744	1	280g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
167	N6AWU36W6AB1P3	755kWh	154%	R744	1	280g
168	N6AWU42F7AB1P3	860kWh	156%	R744	1	290g
169	N6ASU25W5AB1P3	665kWh	150%	R744	1	280g
170	N6ASU30W6AB1P3	775kWh	142%	R744	1	280g
171	N6ASU3036AB1P3	590kWh	194%	R744	1	280g
172	N6ASU36W6AB1P3	755kWh	154%	R744	1	280g
173	N6ASU42F7AB1P3	860kWh	156%	R744	1	290g
174	K6CRU1226NB1N1	345kWh	143%	R744	1	200g
175	K6CSU1226NB1N1	345kWh	143%	R744	1	200g
176	K6ARU1816NB1P3	720kWh	105%	R744	1	260g
177	K6ANU1816NB1P3	720kWh	105%	R744	1	260g
178	K6ASU1816NB1P3	720kWh	105%	R744	1	260g
179	K6ARU24W6AB1P3	720kWh	115%	R744	1	260g
180	K6AWU24W6AB1P3	720kWh	115%	R744	1	260g
181	K6ASU24W6AB1P3	720kWh	115%	R744	1	260g
182	K6ARU3036AB1P3	660kWh	163%	R744	1	300g
183	K6AWU3036AB1P3	660kWh	163%	R744	1	300g
184	K6ASU3036AB1P3	660kWh	163%	R744	1	300g
185	K6ARU36W6AB1P3	730kWh	151%	R744	1	290g
186	K6AWU36W6AB1P3	730kWh	151%	R744	1	290g
187	K6ASU36W6AB1P3	730kWh	151%	R744	1	290g
188	K6ARU42F7AB1P3	780kWh	165%	R744	1	290g
189	K6AWU42F7AB1P3	780kWh	165%	R744	1	290g
190	K6ASU42F7AB1P3	780kWh	165%	R744	1	290g
191	K6ARU3036BB1P3	850kWh	127%	R744	1	260g
192	K6ARU3036BM1P3	850kWh	127%	R744	1	260g
193	K6ASU3036BB1P3	850kWh	127%	R744	1	260g
194	K6ASU3036BM1P3	850kWh	127%	R744	1	260g
195	K6CZU20F5TB1P2-B	795kWh	100%	R744	1	250g
196	K6CKU20F5TB1P2-B	795kWh	100%	R744	1	250g
197	F5AR(S/W)U25W5AB1P3	660kWh	145%	R744	1	270g
198	F5AR(S/W)U30W6AB1P3	770kWh	135%	R744	1	270g
199	F5AR(S/W)U3036AB1P3	585kWh	184%	R744	1	270g
200	F5AR(S/W)U36W6AB1P3	750kWh	147%	R744	1	270g
201	F5AR(S/W)U42F7AB1P3	780kWh	168%	R744	1	270g
202	F5AR(S)U24W4NB1P3	1030kWh	122%	R744	1	345g
203	F5AR(S)U2436NB1P3	845kWh	110%	R744	1	330g
204	F5AR(S)U42F7NB1P3	1170kWh	112%	R744	1	380g
205	F5AFU30W6AB1PQ	770kWh	135%	R744	1	270g
206	F5AFU3036AB1PQ	585kWh	184%	R744	1	270g
207	F5AFU36W6AB1PQ	750kWh	147%	R744	1	270g
208	D5AAU20W4NB1P3	830kWh	141%	R744	1	220g
209	D5AAU24W6NB1P3	820kWh	102%	R744	1	220g
210	D5AAU25W5AB1P3	735kWh	129%	R744	1	200g
211	D5AAU25W5AB1P3B	805kWh	118%	R744	1	200g
212	D5AAU3036AB1P3	615kWh	176%	R744	1	200g
213	D5AAU3036AB1P3B	695kWh	156%	R744	1	200g
214	D5AAU30W5AB1P3	740kWh	135%	R744	1	200g
215	D5AAU30W6AB1P3	750kWh	140%	R744	1	200g
216	D5AAU30W6AB1P3B	820kWh	128%	R744	1	200g
217	D5AAU36W6AB1P3	765kWh	145%	R744	1	200g
218	D5AAU36W6AB1P3B	845kWh	131%	R744	1	200g
219	D5APU20W4NB1P3R	830kWh	141%	R744	1	220g
220	D5ARA25W5AG1P3	795kWh	138%	R744	1	200g
221	D5ARA3036AG1P3	675kWh	183%	R744	1	200g
222	D5ARA30W6AG1P3	810kWh	148%	R744	1	200g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
223	D5ARA36W6AG1P3	825kWh	152%	R744	1	200g
224	D5ARU15W3NB1P3	865kWh	119%	R744	1	230g
225	D5ARU1816NB1P3	740kWh	102%	R744	1	200g
226	D5ARU18W3NB1P3	885kWh	122%	R744	1	230g
227	D5ARU20W4NB1P3	830kWh	141%	R744	1	220g
228	D5ARU2436NB1P3	830kWh	108%	R744	1	220g
229	D5ARU24W6NB1P3	820kWh	102%	R744	1	220g
230	D5ARU25W5AB1P3	735kWh	129%	R744	1	200g
231	D5ARU25W5AB1P3B	805kWh	118%	R744	1	200g
232	D5ARU3036AB1P3	615kWh	176%	R744	1	200g
233	D5ARU3036AB1P3B	695kWh	156%	R744	1	200g
234	D5ARU3036AB1P3V	615kWh	176%	R744	1	200g
235	D5ARU30W5AB1P3	740kWh	135%	R744	1	200g
236	D5ARU30W6AB1P3	750kWh	140%	R744	1	200g
237	D5ARU30W6AB1P3B	820kWh	128%	R744	1	200g
238	D5ARU36F6AB1P3	725kWh	158%	R744	1	200g
239	D5ARU36W6AB1P3	765kWh	145%	R744	1	200g
240	D5ARU36W6AB1P3B	845kWh	131%	R744	1	200g
241	D5ASU15W3NB1P3	865kWh	119%	R744	1	230g
242	D5ASU1816NB1P3	740kWh	102%	R744	1	200g
243	D5ASU18W3NB1P3	885kWh	122%	R744	1	230g
244	D5ASU20W4NB1P3	830kWh	141%	R744	1	220g
245	D5ASU2436NB1P3	830kWh	108%	R744	1	220g
246	D5ASU24W6NB1P3	820kWh	102%	R744	1	220g
247	D5ASU3036AB1P3	615kWh	176%	R744	1	200g
248	D5ASU30W5AB1P3	740kWh	135%	R744	1	200g
249	D5ASU30W6AB1P3	750kWh	140%	R744	1	200g
250	D5ASU36F6AB1P3	725kWh	158%	R744	1	200g
251	D5ASU36W6AB1P3	765kWh	145%	R744	1	200g
252	D5AWA25W5AG1P3	795kWh	138%	R744	1	200g
253	D5AWA3036AG1P3	675kWh	183%	R744	1	200g
254	D5AWA30W6AG1P3	810kWh	148%	R744	1	200g
255	D5AWA36W6AG1P3	825kWh	152%	R744	1	200g
256	D5AWU25W5AB1P3	735kWh	129%	R744	1	200g
257	D5AWU25W5AB1P3B	805kWh	118%	R744	1	200g
258	D5AWU3036AB1P3	615kWh	176%	R744	1	200g
259	D5AWU3036AB1P3B	695kWh	156%	R744	1	200g
260	D5AWU30W6AB1P3	750kWh	140%	R744	1	200g
261	D5AWU30W6AB1P3B	820kWh	128%	R744	1	200g
262	D5AWU36W6AB1P3	765kWh	145%	R744	1	200g
263	D5AWU36W6AB1P3B	845kWh	131%	R744	1	200g
264	D5AZU3036AB1P3	615kWh	176%	R744	1	200g
265	D5ARU20W5NB1P3	750kWh	102%	R744	1	220g
266	D5ASU20W5NB1P3	750kWh	102%	R744	1	220g
267	D5ARU36W6NB1P3	835kWh	131%	R744	1	240g
268	D5ASU36W6NB1P3	835kWh	131%	R744	1	240g
269	D5AAU36W6NB1P3	835kWh	131%	R744	1	240g
270	D5ASA25W5AG1P3	795kWh	138%	R744	1	200g
271	D5ASA3036AG1P3	675kWh	183%	R744	1	200g
272	D5ASA30W6AG1P3	810kWh	148%	R744	1	200g
273	D5ASA36W6AG1P3	825kWh	152%	R744	1	200g
274	D5ARA15W3NG1P3	925kWh	94%	R744	1	230g
275	D5ARA20W4NG1P3	890kWh	107%	R744	1	220g
276	D5ARA30W5AG1P3	800kWh	144%	R744	1	200g
277	D5ARA36F6AG1P3	785kWh	165%	R744	1	200g
278	D5ASA15W3NG1P3	925kWh	94%	R744	1	230g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
279	D5ASA20W4NG1P3	890kWh	107%	R744	1	220g
280	D5ASA30W5AG1P3	800kWh	144%	R744	1	200g
281	D5ASA36F6AG1P3	785kWh	165%	R744	1	200g
282	D5ASU25W5AB1P3	735kWh	129%	R744	1	200g
283	N5ARU18W3NB1P3	910kWh	121%	R744	1	220g
284	N5ARU20W4NB1P3	850kWh	142%	R744	1	240g
285	N5ARU20W5NB1P3	700kWh	112%	R744	1	270g
286	N5ARU24W6NB1P3	725kWh	120%	R744	1	270g
287	N5ARU25W5AB1P3	665kWh	150%	R744	1	280g
288	N5ARU3036AB1P3	590kWh	194%	R744	1	280g
289	N5ARU30W6AB1P3	775kWh	142%	R744	1	280g
290	N5ARU3537AB1P3	790kWh	160%	R744	1	290g
291	N5ARU36W6AB1P3	755kWh	154%	R744	1	280g
292	N5ARU42F7AB1P3	860kWh	157%	R744	1	290g
293	N5ASU18W3NB1P3	910kWh	121%	R744	1	220g
294	N5ASU20W4NB1P3	850kWh	142%	R744	1	240g
295	N5ASU20W5NB1P3	700kWh	112%	R744	1	270g
296	N5ASU24W6NB1P3	725kWh	120%	R744	1	270g
297	N5AWU25W5AB1P3	665kWh	150%	R744	1	280g
298	N5AWU3036AB1P3	590kWh	194%	R744	1	280g
299	N5AWU30W6AB1P3	775kWh	142%	R744	1	280g
300	N5AWU36W6AB1P3	755kWh	154%	R744	1	280g
301	N5AWU42F7AB1P3	860kWh	157%	R744	1	290g
302	N5ASU25W5AB1P3	665kWh	150%	R744	1	280g
303	N5ASU3036AB1P3	590kWh	194%	R744	1	280g
304	N5ASU30W6AB1P3	775kWh	142%	R744	1	280g
305	N5ASU36W6AB1P3	755kWh	154%	R744	1	280g
306	N5ASU42F7AB1P3	860kWh	157%	R744	1	290g
307	N5ARA18W3NG1P3	945kWh	116%	R744	1	220g
308	N5ARA20W5NG1P3	735kWh	127%	R744	1	270g
309	N5ARA24W6NG1P3	760kWh	135%	R744	1	270g
310	N5ARA25W5AG1P3	700kWh	164%	R744	1	280g
311	N5ARA3036AG1P3	625kWh	207%	R744	1	280g
312	N5ARA30W6AG1P3	810kWh	154%	R744	1	280g
313	N5ARA36W6AG1P3	790kWh	166%	R744	1	280g
314	N5ARA42F7AG1P3	895kWh	168%	R744	1	290g
315	N5ASA18W3NG1P3	945kWh	116%	R744	1	220g
316	N5ASA20W5NG1P3	735kWh	127%	R744	1	270g
317	N5ASA24W6NG1P3	760kWh	135%	R744	1	270g
318	N5ASA25W5AG1P3	700kWh	164%	R744	1	280g
319	N5ASA3036AG1P3	625kWh	207%	R744	1	280g
320	N5ASA30W6AG1P3	810kWh	154%	R744	1	280g
321	N5ASA36W6AG1P3	790kWh	166%	R744	1	280g
322	N5ASA42F7AG1P3	895kWh	168%	R744	1	290g
323	N5AAU20W4NB1P3	850kWh	142%	R744	1	240g
324	N5AAU20W5NB1P3	700kWh	112%	R744	1	270g
325	N5AAU24W6NB1P3	725kWh	120%	R744	1	270g
326	N5AAU25W5AB1P3	665kWh	150%	R744	1	280g
327	N5AAU3036AB1P3	590kWh	194%	R744	1	280g
328	N5AAU30W6AB1P3	775kWh	142%	R744	1	280g
329	N5AAU36W6AB1P3	755kWh	154%	R744	1	280g
330	N5AAU42F7AB1P3	860kWh	157%	R744	1	290g
331	K5CRU1226NB1N1	360kWh	137%	R744	1	200g
332	K5CZU20F5TB1P2-B	795kWh	100%	R744	1	250g
333	K5ARU24W6NB1P3	805kWh	105%	R744	1	240g
334	K5ARU25W5NB1P3	810kWh	116%	R744	1	210g

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
335	K5ARU30W6NB1P3	825kWh	126%	R744	1	210g
336	K5ARU3036NB1P3	750kWh	144%	R744	1	210g
337	K5ARU3036AB1P3	680kWh	159%	R744	1	300g
338	K5ARA3036AG1P3	728kWh	169%	R744	1	300g
339	K5ARU36W6AB1P3	790kWh	139%	R744	1	300g
340	K5ARA36W6AG1P3	838kWh	149%	R744	1	300g
341	K5ARU42F7AB1P3	870kWh	148%	R744	1	300g
342	K5ARA42F7AG1P3	918kWh	156%	R744	1	300g
343	D4AAU20W4NB1P3	855kWh	137%	R744	1	220g
344	D4AAU24W6NB1P3	830kWh	100%	R744	1	220g
345	D4AAU25W5NB1P3	850kWh	110%	R744	1	240g
346	D4AAU3036NB1P3	795kWh	135%	R744	1	240g
347	D4AAU30W5NB1P3	850kWh	117%	R744	1	240g
348	D4AAU30W6NB1P3	865kWh	120%	R744	1	240g
349	D4AAU36W6NB1P3	865kWh	127%	R744	1	240g
350	D4AAU25W5AB1P3	775kWh	122%	R744	1	200g
351	D4AAU3036AB1P3	690kWh	157%	R744	1	200g
352	D4AAU30W6AB1P3	810kWh	129%	R744	1	200g
353	D4AAU36W6AB1P3	830kWh	133%	R744	1	200g
354	D4ARU1816NB1P3	750kWh	100%	R744	1	200g
355	D4ASU1816NB1P3	750kWh	100%	R744	1	200g
356	D4ARU15W3NB1P3	890kWh	115%	R744	1	230g
357	D4ASU15W3NB1P3	890kWh	115%	R744	1	230g
358	D4ARU24W6NB1P3	830kWh	100%	R744	1	220g
359	D4ASU24W6NB1P3	830kWh	100%	R744	1	220g
360	D4ARU18W3NB1P3	915kWh	118%	R744	1	230g
361	D4ASU18W3NB1P3	915kWh	118%	R744	1	230g
362	D4ARU20W4NB1P3	855kWh	137%	R744	1	220g
363	D4ASU20W4NB1P3	855kWh	137%	R744	1	220g
364	D4ARU2436NB1P3	855kWh	105%	R744	1	220g
365	D4ASU2436NB1P3	855kWh	105%	R744	1	220g
366	D4ARU25W5AB1P3	775kWh	122%	R744	1	200g
367	N4ARU18W3NB1H3	980kWh	112%	R600a	3	45g
368	N4ARU20W4NB1H3	850kWh	143%	R600a	3	50g
369	N4ARU20W5NB1H3	750kWh	104%	R600a	3	50g
370	N4ARU24W6NB1H3	830kWh	105%	R600a	3	50g
371	N4ARU3036NB1H3	790kWh	144%	R600a	3	50g
372	N4ARU30W6NB1H3	860kWh	128%	R600a	3	50g
373	N4ARU3537NB1H3	950kWh	133%	R600a	3	50g
374	N4ARU36W6NB1H3	860kWh	135%	R600a	3	50g
375	N4ARU42F7NB1H3	1033kWh	128%	R600a	3	50g
376	N4ASU18W3NB1H3	980kWh	112%	R600a	3	45g
377	N4ASU20W4NB1H3	850kWh	143%	R600a	3	50g
378	N4ASU20W5NB1H3	750kWh	104%	R600a	3	50g
379	N4ASU24W6NB1H3	830kWh	105%	R600a	3	50g
380	N4ASU3036NB1H3	790kWh	144%	R600a	3	50g
381	N4ASU30W6NB1H3	860kWh	128%	R600a	3	50g
382	N4ASU3537NB1H3	950kWh	133%	R600a	3	50g
383	N4ASU36W6NB1H3	860kWh	135%	R600a	3	50g
384	N4ASU42F7NB1H3	1033kWh	128%	R600a	3	50g
385	N4ARA20W5NG1H3	785kWh	99%	R600a	3	50g
386	N4ARA3036NG1H3	825kWh	138%	R600a	3	50g
387	N4ARA30W6NG1H3	895kWh	123%	R600a	3	50g
388	N4ARA36W6NG1H3	895kWh	123%	R600a	3	50g
389	N4ARU3036AB1N3	695kWh	164%	R744	1	240g
390	N4ARU30W6AB1N3	810kWh	135%	R744	1	240g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
391	N4ARU36W6AB1N3	830kWh	140%	R744	1	240g
392	N4AFU3036AB1N3	695kWh	164%	R744	1	240g
393	N4AFU30W6AB1N3	810kWh	135%	R744	1	240g
394	N4AFU36W6AB1N3	830kWh	140%	R744	1	240g
395	N4ARA3036AG1N3	730kWh	156%	R744	1	240g
396	N4ARA30W6AG1N3	845kWh	130%	R744	1	240g
397	N4ARA36W6AG1N3	865kWh	134%	R744	1	240g
398	N4AWU3036AB1N3	695kWh	164%	R744	1	240g
399	N4AWU30W6AB1N3	810kWh	135%	R744	1	240g
400	N4AWU36W6AB1N3	830kWh	140%	R744	1	240g
401	N4AAU20W4NB1H3	850kWh	143%	R600a	3	50g
402	N4AAU20W5NB1H3	750kWh	104%	R600a	3	50g
403	N4AAU24W6NB1H3	830kWh	105%	R600a	3	50g
404	N4AAU25W5NB1H3	830kWh	117%	R600a	3	50g
405	N4AAU3036NB1H3	790kWh	144%	R600a	3	50g
406	N4AAU30W6NB1H3	860kWh	128%	R600a	3	50g
407	N4AAU36W6NB1H3	860kWh	135%	R600a	3	50g
408	N4AAU42F7NB1H3	1033kWh	128%	R600a	3	50g
409	N4AAU3036AB1N3	695kWh	164%	R744	1	240g
410	N4AAU30W6AB1N3	810kWh	135%	R744	1	240g
411	N4AAU36W6AB1N3	830kWh	140%	R744	1	240g
412	N4ARU18W3NB1H3	980kWh	112%	R600a	3	45g
413	N4ARU20W4NB1H3	850kWh	143%	R600a	3	50g
414	N4ARU20W5NB1H3	750kWh	104%	R600a	3	50g
415	N4ARU24W6NB1H3	830kWh	105%	R600a	3	50g
416	N4ARU3036NB1H3	790kWh	144%	R600a	3	50g
417	N4ARU30W6NB1H3	860kWh	128%	R600a	3	50g
418	N4ARU3537NB1H3	950kWh	133%	R600a	3	50g
419	N4ARU36W6NB1H3	860kWh	135%	R600a	3	50g
420	N4ARU42F7NB1H3	1033kWh	128%	R600a	3	50g
421	N4ASU18W3NB1H3	980kWh	112%	R600a	3	45g
422	N4ASU20W4NB1H3	850kWh	143%	R600a	3	50g
423	N4ASU20W5NB1H3	750kWh	104%	R600a	3	50g
424	N4ASU24W6NB1H3	830kWh	105%	R600a	3	50g
425	N4ASU3036NB1H3	790kWh	144%	R600a	3	50g
426	N4ASU30W6NB1H3	860kWh	128%	R600a	3	50g
427	N4ASU3537NB1H3	950kWh	133%	R600a	3	50g
428	N4ASU36W6NB1H3	860kWh	135%	R600a	3	50g
429	N4ASU42F7NB1H3	1033kWh	128%	R600a	3	50g
430	N4ARA20W5NG1H3	785kWh	99%	R600a	3	50g
431	N4ARA3036NG1H3	825kWh	138%	R600a	3	50g
432	N4ARA30W6NG1H3	895kWh	123%	R600a	3	50g
433	N4ARA36W6NG1H3	895kWh	123%	R600a	3	50g
434	N4ARU3036AB1N3	695kWh	164%	R744	1	240g
435	N4ARU30W6AB1N3	810kWh	135%	R744	1	240g
436	N4ARU36W6AB1N3	830kWh	140%	R744	1	240g
437	N4AFU3036AB1N3	695kWh	164%	R744	1	240g
438	N4AFU30W6AB1N3	810kWh	135%	R744	1	240g
439	N4AFU36W6AB1N3	830kWh	140%	R744	1	240g
440	N4ARA3036AG1N3	730kWh	156%	R744	1	240g
441	N4ARA30W6AG1N3	845kWh	130%	R744	1	240g
442	N4ARA36W6AG1N3	865kWh	134%	R744	1	240g
443	N4AWU3036AB1N3	695kWh	164%	R744	1	240g
444	N4AWU30W6AB1N3	810kWh	135%	R744	1	240g
445	N4AWU36W6AB1N3	830kWh	140%	R744	1	240g
446	K4CRU1226NB1N1	360kWh	137%	R744	1	200g

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
447	K4CSU1226NB1N1	360kWh	137%	R744	1	200g
448	K4ARU24W6NB1P3	825kWh	103%	R744	1	370g
449	K4ASU24W6NB1P3	825kWh	103%	R744	1	370g
450	K4ARU25W5NB1P3	810kWh	116%	R744	1	210g
451	K4ARA25W5NG1P3	858kWh	127%	R744	1	210g
452	K4ASU25W5NB1P3	810kWh	116%	R744	1	210g
453	K4ASA25W5NG1P3	858kWh	127%	R744	1	210g
454	K4ARU30W6NB1P3	825kWh	126%	R744	1	210g
455	K4ARA30W6NG1P3	873kWh	136%	R744	1	210g
456	K4ASU30W6NB1P3	825kWh	126%	R744	1	210g
457	K4ASA30W6NG1P3	873kWh	136%	R744	1	210g
458	K4ARU3036NB1P3	750kWh	144%	R744	1	210g
459	K4ARA3036NG1P3	798kWh	154%	R744	1	210g
460	K4ASU3036NB1P3	750kWh	144%	R744	1	210g
461	K4ASA3036NG1P3	798kWh	154%	R744	1	210g
462	K4ARU36W6NB1P3	840kWh	131%	R744	1	210g
463	K4ARA36W6NG1P3	888kWh	141%	R744	1	210g
464	K4ASU36W6NB1P3	840kWh	131%	R744	1	210g
465	K4ASA36W6NG1P3	888kWh	141%	R744	1	210g
466	K4ARU42F7NB1P3	990kWh	130%	R744	1	260g
467	K4ARA42F7NG1P3	1038kWh	138%	R744	1	260g
468	K4ASU42F7NB1P3	990kWh	130%	R744	1	260g
469	K4ASA42F7NG1P3	1038kWh	138%	R744	1	260g
470	K4ARU3036AB1N3	730kWh	148%	R744	1	320g
471	K4ARA3036AG1N3	778kWh	158%	R744	1	320g
472	K4AWU3036AB1N3	730kWh	148%	R744	1	320g
473	K4AWA3036AG1N3	778kWh	158%	R744	1	320g
474	K4ARU42F7AB1N3	920kWh	140%	R744	1	320g
475	K4ARA42F7AG1N3	968kWh	148%	R744	1	320g
476	K4AWU42F7AB1N3	920kWh	140%	R744	1	320g
477	K4AWA42F7AG1N3	968kWh	148%	R744	1	320g
478	F4ARU1212NB1N2	1990kWh	48%	R744	1	230g
479	F4ARU2436NB1P3	845kWh	110%	R744	1	330g
480	F4ARU24W4NB1P3	1030kWh	122%	R744	1	345g
481	F4ARU25W5NB1P3	850kWh	112%	R744	1	345g
482	F4ARU3036NB1P3	880kWh	122%	R744	1	345g
483	F4ARU30W6NB1P3	925kWh	113%	R744	1	345g
484	F4ARU36W6NB1P3	930kWh	119%	R744	1	345g
485	F4ARU42F7NB1P3	1170kWh	112%	R744	1	380g
486	F4ARU25W5AB1P3	670kWh	143%	R744	1	270g
487	F4ARU3036AB1P3	595kWh	181%	R744	1	270g
488	F4ARU30W6AB1P3	780kWh	134%	R744	1	270g
489	F4ARU36W6AB1P3	760kWh	145%	R744	1	270g
490	F4ARU42F7AB1P3	790kWh	166%	R744	1	270g
491	F4AFU3036AB1PQ	595kWh	181%	R744	1	270g
492	F4AFU30W6AB1PQ	780kWh	134%	R744	1	270g
493	F4AFU36W6AB1PQ	760kWh	145%	R744	1	270g
494	F4ARG3036AB1P3	665kWh	162%	R744	1	270g
495	F3ARU1212NB1N2	1990kWh	100%	R744	1	230g
496	F3ARU20W5NB1P3	805kWh	100%	R744	1	345g
497	F3ARU20W4NB1P3	995kWh	120%	R744	1	360g
498	F3ARU2436NB1P3	845kWh	110%	R744	1	255g
499	F3ARU24W4NB1P3	1030kWh	122%	R744	1	247g
500	F3ARU25W5NB1P3	850kWh	112%	R744	1	180g
501	F3ARB25W5AG1N3	895kWh	123%	R744	1	340g
502	F3ARB25W5NG1P3	965kWh	114%	R744	1	180g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
503	F3ARU25W5AB1N3	780kWh	122%	R744	1	340g
504	F3ARU30W6NB1P3	925kWh	113%	R744	1	180g
505	F3ARU30W6NB1P3-B	985kWh	106%	R744	1	180g
506	F3ARB30W6NG1P3	1040kWh	115%	R744	1	180g
507	F3ARB30W6NG1P3-B	1100kWh	108%	R744	1	180g
508	F3ARU30W6AB1N3	815kWh	128%	R744	1	340g
509	F3ARU30W6AB1N3-B	875kWh	119%	R744	1	340g
510	F3ARB30W6AG1N3	930kWh	128%	R744	1	340g
511	F3ARB30W6AG1N3-B	990kWh	120%	R744	1	340g
512	F3AFU30W6AB1NQ	815kWh	128%	R744	1	340g
513	F3ARU3036NB1P3	880kWh	123%	R744	1	180g
514	F3ARU3036NB1P3-B	945kWh	114%	R744	1	180g
515	F3ARB3036NG1P3	995kWh	124%	R744	1	180g
516	F3ARB3036NG1P3-B	1060kWh	116%	R744	1	180g
517	F3ARU3036AB1N3	695kWh	156%	R744	1	340g
518	F3ARU3036AB1N3-B	760kWh	142%	R744	1	340g
519	F3ARB3036AG1N3	810kWh	152%	R744	1	340g
520	F3ARB3036AG1N3-B	875kWh	141%	R744	1	340g
521	F3AFU3036AB1NQ	695kWh	156%	R744	1	340g
522	F3ARG3036NB1N3	950kWh	114%	R744	1	180g
523	F3ARU30W5NB1P3	880kWh	115%	R744	1	180g
524	F3ARU36W6NB1P3	930kWh	119%	R744	1	180g
525	F3ARU36W6NB1P3-B	995kWh	111%	R744	1	180g
526	F3ARB36W6NG1P3	1045kWh	120%	R744	1	180g
527	F3ARB36W6NG1P-B	1110kWh	113%	R744	1	180g
528	F3ARU36W6AB1N3	835kWh	132%	R744	1	340g
529	F3ARU36W6AB1N3-B	900kWh	123%	R744	1	340g
530	F3ARB36W6AG1N3	950kWh	122%	R744	1	340g
531	F3ARB36W6AG1N3-B	1015kWh	123%	R744	1	340g
532	F3AFU36W6AB1NQ	835kWh	132%	R744	1	340g
533	F3ARU42F7NB1P3	1170kWh	113%	R744	1	380g
534	F3ARU42F7AB1N3	940kWh	141%	R744	1	390g
535	F3ARB42F7AG1N3	1055kWh	140%	R744	1	390g
536	F3ARB42F7NG1P3	1285kWh	115%	R744	1	380g
537	D3AAU24W6NB1P3	830kWh	100%	R744	1	220
538	D3AAU25W5NB1P3	850kWh	110%	R744	1	240
539	D3AAU3036NB1P3	795kWh	135%	R744	1	240
540	D3AAU30W5NB1P3	850kWh	117%	R744	1	240
541	D3AAU30W6NB1P3	865kWh	120%	R744	1	240
542	D3AAU36W6NB1P3	865kWh	127%	R744	1	240
543	D3ARB25W5NG1P3	1030kWh	106%	R744	1	240
544	D3ARB3036NG1P3	975kWh	125%	R744	1	240
545	D3ARB30W6NG1P3	1045kWh	113%	R744	1	240
546	D3ARB36W6NG1P3	1045kWh	119%	R744	1	240
547	D3ARU15W3NB1P3	890kWh	115%	R744	1	230
548	D3ARU1816NB1P3	750kWh	100%	R744	1	200
549	D3ARU18W3NB1P3	915kWh	118%	R744	1	230
550	D3ARU20W4NB1P3	855kWh	137%	R744	1	220
551	D3ARU2436NB1P3	855kWh	105%	R744	1	220
552	D3ARU24W6NB1P3	830kWh	100%	R744	1	220
553	D3ARU25W5NB1P3	850kWh	110%	R744	1	240
554	D3ARU3036NB1P3	795kWh	135%	R744	1	240
555	D3ARU30W5NB1P3	850kWh	117%	R744	1	240
556	D3ARU30W6NB1P3	865kWh	120%	R744	1	240
557	D3ARU36F6NB1P3	795kWh	143%	R744	1	240
558	D3ARU36W6NB1P3	865kWh	127%	R744	1	240

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
559	D3ASB25W5NG1P3	1030kWh	106%	R744	1	240
560	D3ASB3036NG1P3	975kWh	125%	R744	1	240
561	D3ASB30W6NG1P3	1045kWh	113%	R744	1	240
562	D3ASB36W6NG1P3	1045kWh	119%	R744	1	240
563	D3ASU15W3NB1P3	890kWh	115%	R744	1	230
564	D3ASU1816NB1P3	750kWh	100%	R744	1	200
565	D3ASU18W3NB1P3	915kWh	118%	R744	1	230
566	D3ASU20W4NB1P3	855kWh	137%	R744	1	220
567	D3ASU2436NB1P3	855kWh	105%	R744	1	220
568	D3ASU24W6NB1P3	830kWh	100%	R744	1	220
569	D3ASU25W5NB1P3	850kWh	110%	R744	1	240
570	D3ASU3036NB1P3	795kWh	135%	R744	1	240
571	D3ASU30W5NB1P3	850kWh	117%	R744	1	240
572	D3ASU30W6NB1P3	865kWh	120%	R744	1	240
573	D3ASU36F6NB1P3	795kWh	143%	R744	1	240
574	D3ASU36W6NB1P3	865kWh	127%	R744	1	240
575	D3AZU3036NB1P3	795kWh	135%	R744	1	240
576	N3ARU18W3NB1H3	980kWh	112%	R600a	3	45g
577	N3ARU20W4NB1H3	850kWh	143%	R600a	3	50g
578	N3ARU20W5NB1H3	750kWh	104%	R600a	3	50g
579	N3ARU24W6NB1H3	830kWh	105%	R600a	3	50g
580	N3ARU25W5NB1H3	830kWh	117%	R600a	3	50g
581	N3ARU3036NB1H3	790kWh	144%	R600a	3	50g
582	N3ARU30W6NB1H3	860kWh	128%	R600a	3	50g
583	N3ARU3537NB1H3	950kWh	133%	R600a	3	50g
584	N3ARU36W6NB1H3	860kWh	135%	R600a	3	50g
585	N3ARU42F7NB1H3	1033kWh	128%	R600a	3	50g
586	N3ASU18W3NB1H3	980kWh	112%	R600a	3	45g
587	N3ASU20W4NB1H3	850kWh	143%	R600a	3	50g
588	N3ASU20W5NB1H3	750kWh	104%	R600a	3	45g
589	N3ASU24W6NB1H3	830kWh	105%	R600a	3	50g
590	N3ASU25W5NB1H3	830kWh	117%	R600a	3	50g
591	N3ASU3036NB1H3	790kWh	144%	R600a	3	50g
592	N3ASU30W6NB1H3	860kWh	128%	R600a	3	50g
593	N3ASU3537NB1H3	950kWh	133%	R600a	3	50g
594	N3ASU36W6NB1H3	860kWh	135%	R600a	3	50g
595	N3ASU42F7NB1H3	1033kWh	128%	R600a	3	50g
596	N3ARB3036NG1H3	825kWh	156%	R600a	3	50g
597	N3ARB30W6NG1H3	895kWh	139%	R600a	3	50g
598	N3ARB36W6NG1H3	895kWh	147%	R600a	3	50g
599	N3AFU3036NB1HQ	790kWh	144%	R600a	3	50g
600	N3AFU36W6NB1HQ	860kWh	135%	R600a	3	50g
601	N3AAU20W4NB1H3	850kWh	143%	R600a	3	50g
602	N3AAU20W5NB1H3	750kWh	104%	R600a	3	50g
603	K3ARU42F7NB1P3	1020kWh	126%	R744	1	260g
604	K3ASU42F7NB1P3	1020kWh	126%	R744	1	260g
605	K3ARB42F7NG1P3	1090kWh	132%	R744	1	260g
606	K3ASB42F7NG1P3	1090kWh	132%	R744	1	260g
607	K3ARU36W6NB1P3	915kWh	120%	R744	1	240g
608	K3ASU36W6NB1P3	915kWh	120%	R744	1	240g
609	K3ARB36W6NG1P3	985kWh	127%	R744	1	240g
610	K3ASB36W6NG1P3	985kWh	127%	R744	1	240g
611	K3ARU3036NB1P3	850kWh	127%	R744	1	240g
612	K3ASU3036NB1P3	850kWh	127%	R744	1	240g
613	K3ARB3036NG1P3	920kWh	133%	R744	1	240g
614	K3ASB3036NG1P3	920kWh	133%	R744	1	240g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
615	K3ARU30W6NB1P3	905kWh	115%	R744	1	240g
616	K3ASU30W6NB1P3	905kWh	115%	R744	1	240g
617	K3ARB30W6NG1P3	975kWh	122%	R744	1	240g
618	K3ASB30W6NG1P3	975kWh	122%	R744	1	240g
619	K3ARU25W5NB1P3	895kWh	105%	R744	1	240g
620	K3ASU25W5NB1P3	895kWh	105%	R744	1	240g
621	K3ARB25W5NG1P3	965kWh	113%	R744	1	240g
622	K3ASB25W5NG1P3	965kWh	113%	R744	1	240g
623	K3ARU24W6NB1P3	835kWh	101%	R744	1	370g
624	K3ASU24W6NB1P3	835kWh	101%	R744	1	370g
625	K3ARB24W6NG1P3	905kWh	110%	R744	1	370g
626	K3ASB24W6NG1P3	905kWh	110%	R744	1	370g
627	K3CRU1226NB1N1	370kWh	133%	R744	1	200g
628	K3CSU1226NB1N1	370kWh	133%	R744	1	200g
629	K3CRB1226NG1N1	440kWh	112%	R744	1	200g
630	K3CSB1226NG1N1	440kWh	112%	R744	1	200g
631	F2ARB20W4NG1P3	1110kWh	107%	R744	1	360g
632	F2ARB20W5NG1P3	920kWh	103%	R744	1	345g
633	F2ARB2436NG1P3	960kWh	112%	R744	1	350g
634	F2ARB25W5NG1P3	965kWh	114%	R744	1	290g
635	F2ARB3036NG1P3	1010kWh	122%	R744	1	290g
636	F2ARB30W5NG1P3	1010kWh	115%	R744	1	290g
637	F2ARB30W6NG1P3	1060kWh	112%	R744	1	290g
638	F2ARB3537NG1P3	1145kWh	121%	R744	1	290g
639	F2ARB36W6NG1P3	1065kWh	118%	R744	1	290g
640	F2ARB42F7NG1P3	1285kWh	115%	R744	1	380g
641	F2ARG3036NG1P3	1230kWh	100%	R744	1	290g
642	F2ARU20W4NB1P3	995kWh	120%	R744	1	360g
643	F2ARU20W5NB1P3	805kWh	100%	R744	1	345g
644	F2ARU2436NB1P3	845kWh	110%	R744	1	350g
645	F2ARU24W4NB1P3	1030kWh	122%	R744	1	360g
646	F2ARU25W5NB1P3	850kWh	112%	R744	1	290g
647	F2ARU3036NB1P3	895kWh	121%	R744	1	290g
648	F2ARU3036NB1P3-B	960kWh	113%	R744	1	290g
649	F2ARU3036PB1P3	995kWh	111%	R744	1	360g
650	F2ARU30W5NB1P3	895kWh	113%	R744	1	290g
651	F2ARU30W6NB1P3	945kWh	110%	R744	1	290g
652	F2ARU30W6NB1P3-B	1005kWh	104%	R744	1	290g
653	F2ARU3537NB1P3	1030kWh	120%	R744	1	290g
654	F2ARU36W6NB1P3	950kWh	116%	R744	1	290g
655	F2ARU36W6NB1P3-B	1015kWh	109%	R744	1	290g
656	F2ARU42F7NB1P3	1170kWh	113%	R744	1	380g
657	F2AZU3036NB1P3	895kWh	121%	R744	1	290g
658	F2CFU3036NB1PQ	895kWh	121%	R744	1	290g
659	F2CFU30W6NB1PQ	945kWh	110%	R744	1	290g
660	F2CFU3537NB1PQ	1030kWh	120%	R744	1	290g
661	F2CFU36W6NB1PQ	950kWh	116%	R744	1	290g
662	N2ARU15W3NB1H3	1006kWh	104%	R600a	3	45g
663	N2ARU18W3NB1H3	1053kWh	104%	R600a	3	45g
664	N2ARU20W4NB1H3	890kWh	136%	R600a	3	50g
665	N2ARU20W5NB1H3	779kWh	100%	R600a	3	50g
666	N2ARU24W6NB1H3	849kWh	103%	R600a	3	50g
667	N2ARU25W5NB1H3	862kWh	112%	R600a	3	50g
668	N2ARU3036NB1H3	934kWh	122%	R600a	3	50g
669	N2ARU30W6NB1H3	922kWh	119%	R600a	3	50g
670	N2ARU3537NB1H3	964kWh	131%	R600a	3	47g/50g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
671	N2ARU36W6NB1H3	944kWh	123%	R600a	3	50g
672	N2ARU42F7NB1H3	1033kWh	130%	R600a	3	47g/50g
673	N2ASU15W3NB1H3	1006kWh	104%	R600a	3	45g
674	N2ASU18W3NB1H3	1053kWh	104%	R600a	3	45g
675	N2ASU20W4NB1H3	890kWh	136%	R600a	3	50g
676	N2ASU20W5NB1H3	779kWh	100%	R600a	3	50g
677	N2ASU24W6NB1H3	849kWh	103%	R600a	3	50g
678	N2ASU25W5NB1H3	862kWh	112%	R600a	3	50g
679	N2ASU3036NB1H3	934kWh	122%	R600a	3	50g
680	N2ASU30W6NB1H3	922kWh	119%	R600a	3	50g
681	N2ASU3537NB1H3	964kWh	131%	R600a	3	47g/50g
682	N2ASU36W6NB1H3	944kWh	123%	R600a	3	50g
683	N2ASU42F7NB1H3	1033kWh	130%	R600a	3	47g/50g
684	N2ARB25W5NG1H3	897kWh	125%	R600a	3	50g
685	N2ARB3036NG1H3	969kWh	133%	R600a	3	50g
686	N2ARB30W6NG1H3	957kWh	130%	R600a	3	50g
687	N2ARB36W6NG1H3	979kWh	134%	R600a	3	50g
688	N2ASB25W5NG1H3	897kWh	125%	R600a	3	50g
689	N2ASB3036NG1H3	969kWh	133%	R600a	3	50g
690	N2ASB30W6NG1H3	957kWh	130%	R600a	3	50g
691	N2ASB36W6NG1H3	979kWh	134%	R600a	3	50g
692	N2AFU3036NB1HQ	934kWh	122%	R600a	3	50g
693	N2AFU30W6NB1HQ	922kWh	119%	R600a	3	50g
694	N2AFU36W6NB1HQ	944kWh	123%	R600a	3	50g
695	N2AFU42F7NB1HQ	1033kWh	130%	R600a	3	47g/50g
696	N2AAU20W4NB1H3	890kWh	136%	R600a	3	50g
697	N2AAU20W5NB1H3	779kWh	100%	R600a	3	50g
698	N2AAU24W6NB1H3	849kWh	103%	R600a	3	50g
699	N2AAU25W5NB1H3	862kWh	112%	R600a	3	50g
700	N2AAU3036NB1H3	934kWh	122%	R600a	3	50g
701	N2AAU30W6NB1H3	922kWh	119%	R600a	3	50g
702	N2AAU36W6NB1H3	944kWh	123%	R600a	3	50g
703	N2AAU42F7NB1H3	1033kWh	130%	R600a	3	47g/50g
704	K2ARU42F7NB1P3	1125kWh	114%	R744	1	430g
705	K2ASU42F7NB1P3	1125kWh	114%	R744	1	430g
706	K2ARB42F7NG1P3	1195kWh	120%	R744	1	430g
707	K2ASB42F7NG1P3	1195kWh	120%	R744	1	430g
708	K2ARU36W6NB1P3	995kWh	110%	R744	1	410g
709	K2ASU36W6NB1P3	995kWh	110%	R744	1	410g
710	K2ARB36W6NG1P3	1065kWh	117%	R744	1	410g
711	K2ASB36W6NG1P3	1065kWh	117%	R744	1	410g
712	K2ARU3036NB1P3	935kWh	115%	R744	1	420g
713	K2ASU3036NB1P3	935kWh	115%	R744	1	420g
714	K2ARB3036NG1P3	1005kWh	122%	R744	1	420g
715	K2ASB3036NG1P3	1005kWh	122%	R744	1	420g
716	K2ARU30W6NB1P3	945kWh	110%	R744	1	410g
717	K2ARU24W6NB1P3	848kWh	100%	R744	1	370g
718	K2CRU1226NB1N1	378kWh	130%	R744	1	200g
719	D2AAU24W6NB1P3	835kWh	100%	R744	1	220g
720	D2AAU25W5NB1P3	855kWh	110%	R744	1	240g
721	D2AAU3036NB1P3	800kWh	134%	R744	1	240g
722	D2AAU30W5NB1P3	855kWh	116%	R744	1	240g
723	D2AAU30W6NB1P3	870kWh	119%	R744	1	240g
724	D2AAU36W6NB1P3	870kWh	126%	R744	1	240g
725	D2ARB20W4NG1P3	1040kWh	113%	R744	1	220g
726	D2ARB2436NG1P3	1040kWh	101%	R744	1	220g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
727	D2ARB25W5NG1P3	1035kWh	105%	R744	1	240g
728	D2ARB3036NG1P3	980kWh	125%	R744	1	240g
729	D2ARB30W5NG1P3	1035kWh	110%	R744	1	240g
730	D2ARB30W6NG1P3	1050kWh	113%	R744	1	240g
731	D2ARB36F6NG1P3	980kWh	131%	R744	1	240g
732	D2ARB36W6NG1P3	1050kWh	119%	R744	1	240g
733	D2ARU15W3NB1P3	895kWh	115%	R744	1	230g
734	D2ARU1816NB1P3	755kWh	100%	R744	1	200g
735	D2ARU18W3NB1P3	920kWh	117%	R744	1	230g
736	D2ARU20W4NB1P3	860kWh	136%	R744	1	220g
737	D2ARU2436NB1P3	860kWh	105%	R744	1	220g
738	D2ARU24W6NB1P3	835kWh	100%	R744	1	220g
739	D2ARU25W5NB1P3	855kWh	110%	R744	1	240g
740	D2ARU3036NB1P3	800kWh	134%	R744	1	240g
741	D2ARU30W5NB1P3	855kWh	116%	R744	1	240g
742	D2ARU30W6NB1P3	870kWh	119%	R744	1	240g
743	D2ARU36F6NB1P3	800kWh	142%	R744	1	240g
744	D2ARU36W6NB1P3	870kWh	126%	R744	1	240g
745	D2ASB20W4NG1P3	1040kWh	113%	R744	1	220g
746	D2ASB2436NG1P3	1040kWh	101%	R744	1	220g
747	D2ASB25W5NG1P3	1035kWh	105%	R744	1	240g
748	D2ASB3036NG1P3	980kWh	125%	R744	1	240g
749	D2ASB30W5NG1P3	1035kWh	110%	R744	1	240g
750	D2ASB30W6NG1P3	1050kWh	113%	R744	1	240g
751	D2ASB36F6NG1P3	935kWh	131%	R744	1	200g
752	D2ASB36W6NG1P3	1050kWh	119%	R744	1	240g
753	D2ASU15W3NB1P3	895kWh	115%	R744	1	230g
754	D2ASU1816NB1P3	755kWh	100%	R744	1	200g
755	D2ASU18W3NB1P3	920kWh	117%	R744	1	230g
756	D2ASU20W4NB1P3	860kWh	136%	R744	1	220g
757	D2ASU2436NB1P3	860kWh	105%	R744	1	220g
758	D2ASU24W6NB1P3	835kWh	100%	R744	1	220g
759	D2ASU25W5NB1P3	855kWh	110%	R744	1	240g
760	D2ASU3036NB1P3	800kWh	134%	R744	1	240g
761	D2ASU30W5NB1P3	855kWh	116%	R744	1	240g
762	D2ASU30W6NB1P3	870kWh	119%	R744	1	240g
763	D2ASU36F6NB1P3	800kWh	142%	R744	1	240g
764	D2ASU36W6NB1P3	870kWh	126%	R744	1	240g
765	D2AZU3036NB1P3	800kWh	134%	R744	1	240g
766	F1ARA20W4PGSP3	1160kWh	103%	CO2(R744)	1	360g
767	F1ANU20W4PBSP3	1080kWh	110%	CO2(R744)	1	360g
768	F1ARU20W4PBSP3	1080kWh	110%	CO2(R744)	1	360g
769	F1ASU20W4PBSP3	1080kWh	110%	CO2(R744)	1	360g
770	F1AAU20W4PBSP3	1080kWh	110%	CO2(R744)	1	360g
771	F1ARA20W4PGSP3L	1075kwh	111%	CO2(R744)	1	360g
772	F1ANU20W4PBSP3L	995kwh	120%	CO2(R744)	1	360g
773	F1ARU20W4PBSP3L	995kwh	120%	CO2(R744)	1	360g
774	F1ASU20W4PBSP3L	995kwh	120%	CO2(R744)	1	360g
775	F1ARU24W4PBSP3	1130kwh	112%	CO2(R744)	1	360g
776	F1ARA24W4PGSP3	1210kwh	104%	CO2(R744)	1	360g
777	F1ANU24W4PBSP3	1130kwh	112%	CO2(R744)	1	360g
778	F1ASU24W4PBSP3	1130kwh	112%	CO2(R744)	1	360g
779	F1ARU24W4PBSP3L	1030kwh	122%	CO2(R744)	1	360g
780	F1ARA24W4PGSP3L	1110kwh	114%	CO2(R744)	1	360g
781	F1ANU24W4PBSP3L	1030kwh	122%	CO2(R744)	1	360g
782	F1ASU24W4PBSP3L	1030kwh	122%	CO2(R744)	1	360g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
783	F1AAU24W4PBSP3	1130kwh	112%	CO2(R744)	1	360g
784	F1ARU2436NBSP3	930kwh	100%	CO2(R744)	1	360g
785	F1ARA2436NGSP3	1010kwh	107%	CO2(R744)	1	360g
786	F1ANU2436NBSP3	930kwh	100%	CO2(R744)	1	360g
787	F1ASU2436NBSP3	930kwh	100%	CO2(R744)	1	360g
788	F1AAU2436NBSP3	930kwh	100%	CO2(R744)	1	360g
789	F1ARU25W5BBSP3	955kwh	100%	CO2(R744)	1	360g
790	F1ARA25W5BGSP3	1035kwh	107%	CO2(R744)	1	360g
791	F1ANU25W5BBSP3	955kwh	100%	CO2(R744)	1	360g
792	F1ASU25W5BBSP3	955kwh	100%	CO2(R744)	1	360g
793	F1ARU25W5BBSP3L	870kwh	110%	CO2(R744)	1	360g
794	F1ARA25W5BGSP3L	950kwh	116%	CO2(R744)	1	360g
795	F1ANU25W5BBSP3L	870kwh	110%	CO2(R744)	1	360g
796	F1ASU25W5BBSP3L	870kwh	110%	CO2(R744)	1	360g
797	F1AAU25W5PBSP3	955kwh	100%	CO2(R744)	1	360g
798	F1ARU30W6BBSP3	1045kwh	100%	CO2(R744)	1	360g
799	F1ARA30W6BGSP3	1125kwh	106%	CO2(R744)	1	360g
800	F1ANU30W6BBSP3	1045kwh	100%	CO2(R744)	1	360g
801	F1ASU30W6BBSP3	1045kwh	100%	CO2(R744)	1	360g
802	F1ARU30W6BBSP3L	960kwh	108%	CO2(R744)	1	360g
803	F1ARA30W6BGSP3L	1040kwh	115%	CO2(R744)	1	360g
804	F1ANU30W6BBSP3L	960kwh	108%	CO2(R744)	1	360g
805	F1ASU30W6BBSP3L	960kwh	108%	CO2(R744)	1	360g
806	F1AAU30W6PBSP3	1045kwh	100%	CO2(R744)	1	360g
807	F1ARU3036NBSP3	1010kwh	107%	CO2(R744)	1	360g
808	F1ARA3036NGSP3	1090kwh	113%	CO2(R744)	1	360g
809	F1ANU3036NBSP3	1010kwh	107%	CO2(R744)	1	360g
810	F1ASU3036NBSP3	1010kwh	107%	CO2(R744)	1	360g
811	F1ARU3036NBSP3L	910kwh	119%	CO2(R744)	1	360g
812	F1ARA3036NGSP3L	990kwh	124%	CO2(R744)	1	360g
813	F1ANU3036NBSP3L	910kwh	119%	CO2(R744)	1	360g
814	F1ASU3036NBSP3L	910kwh	119%	CO2(R744)	1	360g
815	F1AAU3036NBSP3	1010kwh	107%	CO2(R744)	1	360g
816	F1ARU30W5PBSP3	1005kwh	100%	CO2(R744)	1	360g
817	F1ARA30W5PGSP3	1085kwh	107%	CO2(R744)	1	360g
818	F1ANU30W5PBSP3	1005kwh	100%	CO2(R744)	1	360g
819	F1ASU30W5PBSP3	1005kwh	100%	CO2(R744)	1	360g
820	F1ARU30W5PBSP3L	905kwh	111%	CO2(R744)	1	360g
821	F1ARA30W5PGSP3L	985kwh	117%	CO2(R744)	1	360g
822	F1ANU30W5PBSP3L	905kwh	111%	CO2(R744)	1	360g
823	F1ASU30W5PBSP3L	905kwh	111%	CO2(R744)	1	360g
824	F1AAU30W5PBSP3	1005kwh	100%	CO2(R744)	1	360g
825	F1CFU30W6PBSPQ	1045kwh	100%	CO2(R744)	1	360g
826	F1CFU3036NBSPQ	1010kwh	107%	CO2(R744)	1	360g
827	F1ARU3537NBSP3	1140kwh	108%	CO2(R744)	1	360g
828	F1ARA3537NGSP3	1220kwh	113%	CO2(R744)	1	360g
829	F1ANU3537NBSP3	1140kwh	108%	CO2(R744)	1	360g
830	F1ASU3537NBSP3	1140kwh	108%	CO2(R744)	1	360g
831	F1AAU3537NBSP3	1140kwh	108%	CO2(R744)	1	360g
832	F1CFU3537NBSPQ	1140kwh	108%	CO2(R744)	1	360g
833	F1ARU36W6PBSP3	1095kwh	101%	CO2(R744)	1	360g
834	F1ARA36W6PGSP3	1175kwh	106%	CO2(R744)	1	360g
835	F1ANU36W6PBSP3	1095kwh	101%	CO2(R744)	1	360g
836	F1ASU36W6PBSP3	1095kwh	101%	CO2(R744)	1	360g
837	F1ARU36W6PBSP3L	995kwh	111%	CO2(R744)	1	360g
838	F1ARA36W6PGSP3L	1175kwh	116%	CO2(R744)	1	360g

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
839	F1ANU36W6PBSP3L	995kwh	111%	CO2(R744)	1	360g
840	F1ASU36W6PBSP3L	995kwh	111%	CO2(R744)	1	360g
841	F1AAU36W6PBSP3	1095kwh	101%	CO2(R744)	1	360g
842	F1CFU36W6PBSPQ	1095kwh	101%	CO2(R744)	1	360g
843	F1ARU42F7NBSP3	1280kwh	103%	CO2(R744)	1	380g
844	F1ARA42F7NGSP3	1360kwh	108%	CO2(R744)	1	380g
845	F1ANU42F7NBSP3	1280kwh	103%	CO2(R744)	1	380g
846	F1ASU42F7NBSP3	1280kwh	103%	CO2(R744)	1	380g
847	F1AAU42F7NBSP3	1280kwh	103%	CO2(R744)	1	380g
848	N1ARA25W5BGSH3	1060kwh	106%	HC(R600a)	3	46g/50g
849	N1ANA25W5BGSH3	1060kwh	106%	HC(R600a)	3	46g/50g
850	N1ASA25W5BGSH3	1060kwh	106%	HC(R600a)	3	46g/50g
851	N1ARU25W5BBSH3L	867kwh	112%	HC(R600a)	3	46g/50g
852	N1ANU25W5BBSH3L	867kwh	112%	HC(R600a)	3	46g/50g
853	N1ASU25W5BBSH3L	867kwh	112%	HC(R600a)	3	46g/50g
854	N1ARU3036NBSH3	1025kwh	111%	HC(R600a)	3	46g/50g
855	N1ANU3036NBSH3	1025kwh	111%	HC(R600a)	3	46g/50g
856	N1ASU3036NBSH3	1025kwh	111%	HC(R600a)	3	46g/50g
857	N1ARU30W6BBSH3	1025kwh	107%	HC(R600a)	3	46g/50g
858	N1ANU30W6BBSH3	1025kwh	107%	HC(R600a)	3	46g/50g
859	N1ASU30W6BBSH3	1025kwh	107%	HC(R600a)	3	46g/50g
860	N1ARA3036NGSH3	1120kwh	115%	HC(R600a)	3	46g/50g
861	N1ANA3036NGSH3	1120kwh	115%	HC(R600a)	3	46g/50g
862	N1ARA30W6BGSH3	1120kwh	112%	HC(R600a)	3	46g/50g
863	N1ANA30W6BGSH3	1120kwh	112%	HC(R600a)	3	46g/50g
864	N1ASA30W6BGSH3	1120kwh	112%	HC(R600a)	3	46g/50g
865	N1ARU3036NBSH3L	947kwh	120%	HC(R600a)	3	46g/50g
866	N1ANU3036NBSH3L	947kwh	120%	HC(R600a)	3	46g/50g
867	N1ASU3036NBSH3L	947kwh	120%	HC(R600a)	3	46g/50g
868	N1ARU30W6BBSH3L	927kwh	119%	HC(R600a)	3	46g/50g
869	N1ANU30W6BBSH3L	927kwh	119%	HC(R600a)	3	46g/50g
870	N1ASU30W6BBSH3L	927kwh	119%	HC(R600a)	3	46g/50g
871	N1ARU3537NBSH3	1055kwh	120%	HC(R600a)	3	47g/50g
872	N1ANU3537NBSH3	1055kwh	120%	HC(R600a)	3	47g/50g
873	N1ASU3537NBSH3	1055kwh	120%	HC(R600a)	3	47g/50g
874	N1ARA3537NGSH3	1150kwh	123%	HC(R600a)	3	47g/50g
875	N1ANA3537NGSH3	1150kwh	123%	HC(R600a)	3	47g/50g
876	N1ARU36W6PBSP3	1035kwh	112%	HC(R600a)	3	46g/50g
877	N1ANU36W6PBSP3	1035kwh	112%	HC(R600a)	3	46g/50g
878	N1ASU36W6PBSP3	1035kwh	112%	HC(R600a)	3	46g/50g
879	N1ARA36W6PGSH3	1130kwh	116%	HC(R600a)	3	46g/50g
880	N1ANA36W6PGSH3	1130kwh	116%	HC(R600a)	3	46g/50g
881	N1ARU36W6PBSP3L	957kwh	122%	HC(R600a)	3	46g/50g
882	N1ANU36W6PBSP3L	957kwh	122%	HC(R600a)	3	46g/50g
883	N1ASU36W6PBSP3L	957kwh	122%	HC(R600a)	3	46g/50g
884	N1CRU42F7NBSP3	1165kwh	115%	HC(R600a)	3	47g/50g
885	N1CSU42F7NBSP3	1165kwh	115%	HC(R600a)	3	47g/50g
886	N1CRA42F7NGSP3	1260kwh	118%	HC(R600a)	3	47g/50g
887	N1CSA42F7NGSP3	1260kwh	118%	HC(R600a)	3	47g/50g
888	N1CRU42F7NBSP3L	1039kwh	129%	HC(R600a)	3	47g/50g
889	N1CSU42F7NBSP3L	1039kwh	129%	HC(R600a)	3	47g/50g
890	N0CRU25W5PBSP3E	890kwh	109%	HC(R600a)	3	46g/50g
891	N0CRA25W5PGSP3E	985kwh	114%	HC(R600a)	3	46g/50g
892	N0CRU3036NBSP3E	860kwh	133%	HC(R600a)	3	46g/50g
893	N0CRA3036NGSP3E	955kwh	135%	HC(R600a)	3	47g/50g
894	N0CRU42F7NBSP3E	998kwh	135%	HC(R600a)	3	46g/50g
895	N0CRA42F7NGSP3E	1093kwh	137%	HC(R600a)	3	46g/50g
896	N0CZS36W6PGSPHQ	980kwh	134%	HC(R600a)	3	46g/50g

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
897	N0CRS36W6PGSHQ	980kwh	134%	HC(R600a)	3	47g/50g
898	N0CRU30W6PBSHQ	1030kwh	107%	HC(R600a)	3	46g/50g
899	N0CRU3036NBSHQ	1030kwh	111%	HC(R600a)	3	46g/50g
900	N0CRU36W6PBSHQ	1040kwh	112%	HC(R600a)	3	46g/50g
901	N0CRU42F7NBSHQ	1170kwh	115%	HC(R600a)	3	47g/50g
902	N1AAU25W5BBSH3	965kwh	100%	HC(R600a)	3	46g/50g
903	N1AAU30W6BBSH3	1025kwh	107%	HC(R600a)	3	46g/50g
904	N1AAU3036NBSH3	1025kwh	111%	HC(R600a)	3	46g/50g
905	N1AAU36W6PBSH3	1035kwh	112%	HC(R600a)	3	46g/50g
906	N1AAU42F7NBSH3	1165kwh	115%	HC(R600a)	3	47g/50g
907	N1CAU42F7NBSH3	1165kwh	115%	HC(R600a)	3	47g/50g
908	D1CRA1816NGSP3	900kwh	100%	CO2(R744)	1	280g
909	D1CSA1816NGSP3	900kwh	100%	CO2(R744)	1	280g
910	D1ARU18W3PBSP3	1030kwh	105%	CO2(R744)	1	260g
911	D1ARU18W3PXSP3	1030kwh	105%	CO2(R744)	1	260g
912	D1ANU18W3PBSP3	1030kwh	105%	CO2(R744)	1	260g
913	D1ANU18W3PXSP3	1030kwh	105%	CO2(R744)	1	260g
914	D1ARA25W5BGSP3	1039kwh	105%	CO2(R744)	1	260g
915	D1ANA25W5BGSP3	1039kwh	105%	CO2(R744)	1	260g
916	D1ARU30W5PBSP3	965kwh	103%	CO2(R744)	1	260g
917	D1ARU30W5PXSP3	965kwh	103%	CO2(R744)	1	260g
918	D1ANU30W5PBSP3	965kwh	103%	CO2(R744)	1	260g
919	D1ANU30W5PXSP3	965kwh	103%	CO2(R744)	1	260g
920	D1ASU30W5PBSP3	965kwh	103%	CO2(R744)	1	260g
921	D1AAU30W5PBSP3	965kwh	103%	CO2(R744)	1	260g
922	D1ARA30W5PGSP3	1044kwh	109%	CO2(R744)	1	260g
923	D1ANA30W5PGSP3	1044kwh	109%	CO2(R744)	1	260g
924	D1ARU30W6BBS3	975kwh	106%	CO2(R744)	1	260g
925	D1ARU30W6BXSP3	975kwh	106%	CO2(R744)	1	260g
926	D1ANU30W6BBS3	975kwh	106%	CO2(R744)	1	260g
927	D1ANU30W6BXSP3	975kwh	106%	CO2(R744)	1	260g
928	D1ASU30W6BBS3	975kwh	106%	CO2(R744)	1	260g
929	D1AAU30W6BBS3	975kwh	106%	CO2(R744)	1	260g
930	D1ARA30W6BGSP3	1055kwh	112%	CO2(R744)	1	260g
931	D1ANA30W6BGSP3	1055kwh	112%	CO2(R744)	1	260g
932	D1ARU3036NBSP3	910kwh	118%	CO2(R744)	1	260g
933	D1ARU3036NXSP3	910kwh	118%	CO2(R744)	1	260g
934	D1ANU3036NBSP3	910kwh	118%	CO2(R744)	1	260g
935	D1ANU3036NXSP3	910kwh	118%	CO2(R744)	1	260g
936	D1ASU3036NBSP3	910kwh	118%	CO2(R744)	1	260g
937	D1AAU3036NBSP3	910kwh	118%	CO2(R744)	1	260g
938	D1ARA3036NGSP3	990kwh	124%	CO2(R744)	1	260g
939	D1ANA3036NGSP3	990kwh	124%	CO2(R744)	1	260g
940	D1ARU36W6PBSP3	980kwh	112%	CO2(R744)	1	260g
941	D1ARU36W6PXSP3	980kwh	112%	CO2(R744)	1	260g
942	D1ANU36W6PBSP3	980kwh	112%	CO2(R744)	1	260g
943	D1ANU36W6PXSP3	980kwh	112%	CO2(R744)	1	260g
944	D1ASU36W6PBSP3	980kwh	112%	CO2(R744)	1	260g
945	D1AAU36W6PBSP3	980kwh	112%	CO2(R744)	1	260g
946	D1ARA36W6PGSP3	1060kwh	118%	CO2(R744)	1	260g
947	D1ANA36W6PGSP3	1059kwh	118%	CO2(R744)	1	260g
948	D1ARU36F6NBSP3	970kwh	117%	CO2(R744)	1	270g
949	D1ANU36F6NBSP3	970kwh	117%	CO2(R744)	1	270g
950	D1ASU36F6NBSP3	970kwh	117%	CO2(R744)	1	270g
951	D1ARA36F6NGSP3	1050kwh	122%	CO2(R744)	1	270g
952	D1ANA36F6NGSP3	1050kwh	122%	CO2(R744)	1	270g
953	D1ARU18W3PBSP3L	920kwh	117%	CO2(R744)	1	260g
954	D1ASU18W3PBSP3L	920kwh	117%	CO2(R744)	1	260g
955	D1ARU25W5BBS3L	875kwh	107%	CO2(R744)	1	260g
956	D1ASU25W5BBS3L	875kwh	107%	CO2(R744)	1	260g
957	D1ARU30W6BBS3L	890kwh	116%	CO2(R744)	1	260g
958	D1ASU30W6BBS3L	890kwh	116%	CO2(R744)	1	260g

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
959	D1ARU30W5PBSP3L	855kwh	116%	CO2(R744)	1	260g
960	D1ASU30W5PBSP3L	855kwh	116%	CO2(R744)	1	260g
961	D1ARU3036NBSP3L	800kwh	134%	CO2(R744)	1	260g
962	D1ASU3036NBSP3L	800kwh	134%	CO2(R744)	1	260g
963	D1ARU36W6PBSP3L	870kwh	126%	CO2(R744)	1	260g
964	D1ASU36W6PBSP3L	870kwh	126%	CO2(R744)	1	260g
965	D1ARU36F6NBSP3L	800kwh	142%	CO2(R744)	1	270g
966	D1ASU36F6NBSP3L	800kwh	142%	CO2(R744)	1	270g
967	K1CRU1226NBSN1	426kwh	115%	CO2(R744)	1	240g
968	K1CRZ1226NZSN1	391kwh	125%	CO2(R744)	1	240g
969	K1CSU1226NBSN1	426kwh	115%	CO2(R744)	1	240g
970	K1ARA25W5PGSP3	1096kwh	100%	CO2(R744)	1	410g
971	K1ARU3036NBSP3	1038kwh	104%	CO2(R744)	1	420g
972	K1ANU3036NBSP3	1038kwh	104%	CO2(R744)	1	420g
973	K1ASU3036NBSP3	1038kwh	104%	CO2(R744)	1	420g
974	K1AAU3036NBSP3	1038kwh	104%	CO2(R744)	1	420g
975	K1ARU30W6PBSP3	1036kwh	100%	CO2(R744)	1	410g
976	K1ANU30W6PBSP3	1036kwh	100%	CO2(R744)	1	410g
977	K1ASU30W6PBSP3	1036kwh	100%	CO2(R744)	1	410g
978	K1ARA3036NGSP3	1095kwh	112%	CO2(R744)	1	420g
979	K1ANA3036NGSP3	1095kwh	112%	CO2(R744)	1	420g
980	K1ASA3036NGSP3	1095kwh	112%	CO2(R744)	1	420g
981	K1ARA30W6PGSP3	1093kwh	109%	CO2(R744)	1	410g
982	K1ANA30W6PGSP3	1093kwh	109%	CO2(R744)	1	410g
983	K1ASA30W6PGSP3	1093kwh	109%	CO2(R744)	1	410g
984	K1AAU30W6PBSP3	1036kwh	100%	CO2(R744)	1	410g
985	K1ARU36W6PBSP3	1100kwh	100%	CO2(R744)	1	410g
986	K1ANU36W6PBSP3	1100kwh	100%	CO2(R744)	1	410g
987	K1ASU36W6PBSP3	1100kwh	100%	CO2(R744)	1	410g
988	K1ARA36W6PGSP3	1157kwh	108%	CO2(R744)	1	410g
989	K1ANA36W6PGSP3	1157kwh	108%	CO2(R744)	1	410g
990	K1ASA36W6PGSP3	1157kwh	108%	CO2(R744)	1	410g
991	K1AAU36W6PBSP3	1100kwh	100%	CO2(R744)	1	410g
992	K1ARU42F7NBSP3	1280kwh	100%	CO2(R744)	1	430g
993	K1ANU42F7NBSP3	1280kwh	100%	CO2(R744)	1	430g
994	K1ASU42F7NBSP3	1280kwh	100%	CO2(R744)	1	430g
995	K1ARA42F7NGSP3	1337kwh	107%	CO2(R744)	1	430g
996	K1ANA42F7NGSP3	1337kwh	107%	CO2(R744)	1	430g
997	K1ASA42F7NGSP3	1337kwh	107%	CO2(R744)	1	430g
998	K1AAU42F7NBSP3	1280kwh	100%	CO2(R744)	1	430g

カップ機

	機種	エネルギー消費効率		冷媒		
		年間消費電力量	基準達成率	種類	GWP係数	封入量
1	F7KZB262MXB1NC	1393kWh	145%	R744	1	290g
2	F7KW(S)B382MXB1NC	1492kWh	135%	R744	1	290g
3	F7KW(S)B483MXB1NF	1667kWh	121%	R744	1	290g
4	F7KSBX73MXB1NW	886kWh	128%	R744	1	130g
5	F7KZB262MXB1NC	1393kWh	145%	R744	1	290g
6	F7KW(S)B382MXB1NC	1492kWh	135%	R744	1	290g
7	F7KW(S)B483MXB1NF	1667kWh	121%	R744	1	290g
8	F7KSCX73MXB1NW	886kWh	128%	R744	1	130g
9	F6KZB262MXB1NC	1393kWh	145%	R744	1	290g
10	F6KW(S)B382MXB1NC	1492kWh	135%	R744	1	290g
11	F6KSD382MXB1NC	1492kWh	135%	R744	1	290g
12	F6KW(S)B483MXB1NF	1667kWh	121%	R744	1	290g
13	F6KSD483MXB1NF	1658kWh	122%	R744	1	290g
14	F6KWD69X1XB1NF	1634kWh	123%	R744	1	290g
15	D4KGBX62MXB1N9	894kWh	114%	R744	1	140g
16	D1KGCX32MXBSN9	995kWh	113%	R744	1	160g
17	D1KGCX32MXBSN9T	995kWh	113%	R744	1	160g

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
18	F5KW(S)B382MXB1NC	1492kWh	135%	R744	1	290g
19	F5KW(S)B483MXB1NF	1667kWh	121%	R744	1	290g
20	F5KW(S)D382MXB1NC	1492kWh	135%	R744	1	290g
21	F5KW(S)D483MXB1NF	1658kWh	122%	R744	1	290g
22	F5KZB262MXB1NC	1393kWh	145%	R744	1	290g
23	F2KSCX62MXB1N9	1141kWh	100%	R744	1	280g
24	F5KWD69X1XB1NF	1634kWh	123%	R744	1	290g
25	D4KGBX62MXB1N9	894kWh	114%	R744	1	140g
26	D1KGCX32MXBSN9	995kWh	113%	R744	1	160g
27	D1KGCX32MXBSN9	995kWh	113%	R744	1	160g
28	D1KGCX32MXBSN9T	995kWh	113%	R744	1	160g
29	D1KGBX62MXBSN9	1314kWh	118%	R744	1	160g
30	F4KWB382MXB1NC	1492kWh	135%	R744	1	290g
31	F4KWB382XXB1NC	1492kWh	135%	R744	1	290g
32	F4KWD382MXB1NC	1492kWh	135%	R744	1	290g
33	F4KWD382XXB1NC	1492kWh	135%	R744	1	290g
34	F4KWB483MXB1NF	1667kWh	121%	R744	1	290g
35	F4KWB483XXB1NF	1667kWh	121%	R744	1	290g
36	F4KWD483MXB1NF	1658kWh	122%	R744	1	290g
37	F4KWD483XXB1NF	1658kWh	122%	R744	1	290g
38	F4KZB262MXB1NC	1393kWh	145%	R744	1	290g
39	F4KZB262XXB1NC	1393kWh	145%	R744	1	290g
40	F4KWD69X1XB1NF	1634kWh	123%	R744	1	290g
41	F3KZB262X(M)XB1NC	1393kWh	145%	R744	1	290g
42	F3KWB382X(M)XB1NC	1492kWh	135%	R744	1	290g
43	F3KWD382X(M)XB1NC	1492kWh	135%	R744	1	290g
44	F3KWB483X(M)XB1NF	1667kWh	121%	R744	1	290g
45	F3KWD483X(M)XB1NF	1658kWh	122%	R744	1	290g
46	F3KWD69X1XB1NF	1634kWh	123%	R744	1	290g
47	D1KGCX32MXBSN9	995kWh	113%	R744	1	160
48	D1KGCX32MXBSN9T	995kWh	113%	R744	1	160
49	D1KGBX62MXBSN9	1314kWh	118%	R744	1	160
50	F1KG(S)CX62X(M)XBSN9	1128kWh	101%	R744	1	285g
51	F1KG(S)CX62X(M)XBSN9L	1139kWh	100%	R744	1	285g
52	F2KWD382X(M)XB1NC	1492kWh	135%	R744	1	290g
53	F2KWD382X(M)XB1NC	1492kWh	135%	R744	1	290g
54	D1KGCX32MXBSN9	995kWh	113%	R744	1	160g
55	D1KGCX32MXBSN9T	995kWh	113%	R744	1	160g
56	D1KGBX62MXBSN9	1314kWh	118%	R744	1	160g
57	FIKGCX62 × (M)XBSN9	1128kWh	101%	R744	1	280g
58	FIKSCX62 × (M)XBSN9L	1139kWh	100%	R744	1	280g

紙容器機

機種	エネルギー消費効率		冷媒			
	年間消費電力量	基準達成率	種類	GWP係数	封入量	
1	K4CRU082BNB1N1	530kWh	146%	R744	1	200g
2	K3CRU082BNB1N1	540kWh	143%	R744	1	200g
3	K3CRB082BNG1N1	610kWh	127%	R744	1	200g
4	K3CRU082CNB1N1	590kWh	143%	R744	1	200g
5	K3CRB082CNG1N1	660kWh	128%	R744	1	200g
6	K2CRU082BNB1N1	549kWh	141%	R744	1	200g
7	K1CRU082BNBSN1	596kWh	127%	CO2(R744)	1	240g
8	K1CRZ082BNZSN1	561kWh	135%	CO2(R744)	1	240g
9	K1CSU082BNBSN1	596kWh	127%	CO2(R744)	1	240g